



FORM (FCA W 1/003) WARRANTY PROVISIONS

IMPORTANT : An emailed signed and scanned copy of this document must be sent on the day of part 2 signing to sales@firecrunch.com.au

FOLLOWED BY TWO ORIGINAL signed COPIES POSTED TO:-
FCA PL .PO Box 370, Pyrmont NSW 2009

NOTE: FCA ref, is FireCrunch Australia



firecrunch.com.au





FORM (FCA W 1/003) WARRANTY PROVISIONS

FireCrunch Australasia PL 1300 933 102 ABN 37 620 875 041

E:sales@firecrunchaustralasia.com.au

Web www.firecrunchaustralasia.com.au

FORM (FCA W 1/003)

WARRANTY PROVISIONS

FireCrunch Australasia Pty Ltd ABN 37 620 875 041 (Referred herein as FCA)

FCA , FireCrunch , Resolute Laboratories QLD. CSIRO NSW /NATA

ACCREDITED LABS , (FIRE TESTED BUILDING BOARDS)

Address of work siteP/code.....

PART 1 AT SUPPLY

The end user or trades buyer acknowledges on the signing of this supply agreement as follows

FCA products are sold under warranty on the following terms and conditions. Part 1 must be completed on receipt of goods and returned to Firecrunch Australasia Pty Ltd at PO BOX370 Pyrmont NSW 2009 .**FAILURE TO DO THIS WILL INVALIDATE THE WARRANTY**

The installer is a licensed trades operative holding a current builders license No.

In the state or territory of Expiry date/...../.....Issuing

authority.....

Issued to (name).....

address.....

.....P/code.....

Issuing authority

Main Contact number.....Email address

Mobile / Tel

The installer agrees they been advised that all FCA products must be installed exactly to the specification of material and fixing, framing specifications and other elements. These are relative to the CSIRO Fire Certificates of Tests Resolute Laboratories fire test specification and any Fire engineering reports or assessments applied by FCA PL and found in FCA fire systems installation manuals found on the FCA web site www.firecrunch.com.au where fire protection is a specified requirement .





FORM (FCA W 1/003) WARRANTY PROVISIONS

The installer buyer end user has been advised of the FCA web location of such installation information or has been provided with hard copy print out of the fire and installation manual or such other manuals as applies to the installation required PART 1

The licensed trades installer agrees to comply with these instructions for installation The end buyer / installer acknowledges that no warranty will apply unless the FCA product is installed by a licensed trades builder and that (Part 2) of this form FCA W/1003 is signed off and provides the information, undertakings and qualified truthful statements requested as per photographs of install and products used under this warranty

All parties to this agreement of warranty acknowledge that no warranty will apply unless installed by licensed trades operatives in the state of construction AND holding a current trades license at the time of installation relevant to the state of installation and return of a signed copy of part 1 of the warranty prior to install commencement

I/ we believe the content information provided in this warranty and the work effected represent a truthful statement of facts

Signed Licensed InstallerDate/...../20

Name of Supplier company _____

ABN: _____

Name of authorised person: _____

Position in company : _____

Signed Supplier Co.....

Name of Authorised person _____

End part 1

Part 1 Dated/...../20.....





FORM (FCA W 1/003) WARRANTY PROVISIONS

PART 2

Written Warranty

The warranty is issued for 10 years from the date on (Form FCA W/1003) in FCA product performance by the company Fire Crunch Australasia Pty Ltd ABN 37 620 875 041. The warranty is subject to the terms of the warranty and any product failure in the manufacturing process which causes the material to fail in a fire attack within the limits of the CSIRO test specification and detailed on the test certificates and use of recommended support products, methods, procedures and support products listed on the web site firecrunch.com.au. Any installations in variation to the FCA instruction manual in any form found at <https://firecrunch.com.au/technical-specifications/> or use of non specified products unless agreed in writing by FCA will void the warranty. Any claims or litigation relative will be governed by the laws of the State of NSW .

THIS WARRANTY IS SUBJECT TO THE FOLLOWING SIGNED UNDERTAKINGS BY THE INSTALLER

The installation has been carried out to the specification supplied by FCA ,FireCrunch Australasia Pty Ltd according to the work type effected.

- 1• Acknowledgment that storage of sheets occurred under dry roof cover ,at all times prior to installation.
- 2• For fire ratings up to FRL 90/90/90 Steel Framing not less than 1.15 BMT Load Bearing walls not less than 90mm x 45mm stud frame plus fixing and insertion of a minimum R 2.5 fire batt for up to 90 minutes and specs to flooring and roofing as per manuals and certificates of tests
- 3• Specified types Fire sealant application on stud faces and between sheets (where applicable) using products specified in recommended product list.
- 4• Exterior sheeting requires additional surface weather sealing / priming prior to application of paint or texture paint or render applications as per recommended products list The Aquacrunch primer must be applied before any external installation https://firecrunch.com.au/wp-content/uploads/2020/06/M_030_AquaCrunch-Data-Sheet.pdf
- 5• End inspection confirmation in this document by the installer that installation has been completed as per the specification
- 6• Supply of clear HD digital photo supplied as PDF attachments with signed warranty showing ☒
 - 1• FRAME CONSTRUCTION WITH INSULATION BATT IN CAVITY
 - 2• LABEL WITH SPECS SHOWING INSULATION AND BRAND
 - 3• LABEL OF SCREW FIXINGS SPEC
 - 4• LABEL OF THE FIRE SEALANT AS1530.4 BRAND USED
 - 5• PHOTO OF THE LABEL SPEC OF THE FIRE INSULATION BATT USED
 - 6• PHOTO OF THE OUTER ENCLOSED WALL WITH SCREW FIXINGS T 200 CENTRES AND FIRE SEALANT 6MM GAP FILLED
 - 7• PHOTO LABEL AQUACRUNCH PRIMER SEALER PACK
 - 8• PHOTO LABEL OF THE DULUX PRECISION UNDERCOAT
 - 9• PHOTO LABEL OF THE DULUX (WATER BASED) FINISH PAINT USED
 - 10• PHOTO OF INVOICE FOR 92x45 stud frame STEEL FRAME PURCHASE SHOWING THE 1.15mm thickness SPECIFICATION IN LOAD BEARING WALLS

WORK TYPE. ☒

Work type, Tick as applicable

- | | |
|--------------------------|--|
| <input type="checkbox"/> | • Exterior walls (K CLAD Exterior walls SE10) or TS 12 K-WALL for exteriors |
| <input type="checkbox"/> | • Interior walls (K CLAD Interior walls TE10) or TS 12 K-WALL for interiors |
| <input type="checkbox"/> | • Ceilings, soffits, eaves. Residential housing |
| <input type="checkbox"/> | • K Floor "substrate" Flooring 19m (TG) (600mm max centres) max 450 joist centres <u>when tiling</u> |
| <input type="checkbox"/> | • K Deck Tongue and Groove (TG) 16mm --max 450mm centres overall. |
| <input type="checkbox"/> | • K Roof 19mm TG 19 2700x600 Bush Fire Roof area over rafters MAX 900mm separation centres |
| <input type="checkbox"/> | • Fire wall penetrations K Clad warranty (Snap Fire Systems products only) FRL...../90/90 walls) |
| <input type="checkbox"/> | • Fire separation walls single stud and double stud timber or steel framing |
| <input type="checkbox"/> | • Fire separation walls industrial and commercial premises |
| <input type="checkbox"/> | • Ovens or commercial kitchen fire plate backers under or side of wood stoves etc |
| <input type="checkbox"/> | • Other Work Description please nominate here or attach separate info |





FORM (FCA W 1/003) WARRANTY PROVISIONS

Job Name : _____

Job location
Street Address _____

State.....P/code.....

Primary Contractor or Builder, Full Name and address _____

.....P/code..... TEL

Email address _____

Contact person: _____

Tel/mob _____

All parties to this agreement of warranty acknowledge that, THIS WARRANTY IS PROVIDED ON THE SIGNATURE OF THE PRIMARY CONTRACTOR. ANY SUB CONTRACTORS EMPLOYED BY THE PRIMARY CONTRACTOR IS THE RESPONSIBILITY OF THE PRIMARY CONTRACTOR AND NOT FCA . SUB CONTRACTORS ARE NOT SEPARATELY COVERED BY THIS WARRANTY UNLESS ON THE WRITTEN INSTRUCTIONS OF THE PRIMARY CONTRACTOR (ATTACHED TO THIS WARRANTY) THEY ARE AUTHORISED TO CARRY OUT THE INSTALLATION OF FCA PRODUCTS AND THE PRIMARY CONTRACTOR ACTS AS THE NOMINATED SUPPLIER UNDER THE TERMS OF THIS WARRANTY. FAILING SUCH ADVISED WRITTEN AUTHORITY THE SUB CONTRACTOR MUST BECOME THE NOMINATED PURCHASER AND INSTALLER AND SIGN THIS WARRANTY.

No warranty will apply unless installed by LICENSED Trades operatives holding a current builders license at the time of installation relevant to the state of installation

Installer undertaking

I/we believe the content information provided on this warranty and the work completed using FireCrunch fire rated building boards represent a truthful statement of facts

Signed by contractor installer

FullName X _____X

Name of Distributor / Supplier _____

Signed by Distributors / suppliers Authorised representative... XX

Name of Authorised person for Distributor/supplier... ..

State / Territory/ City or nominated Area (BEING)

Dated/...../20 email address of authorised party

IMPORTANT : An emailed signed and scanned copy of this document must be sent on the day of part 2 signing to support@firecrunch.com.au

FOLLOWED BY TWO ORIGINAL signed COPIES POSTED TO:-
FCA PL . PO Box 370, Pyrmont NSW 2009

Document Ends/

